

U.S. Patent Application Serial No. 10/030,099
Amendment filed July 27, 2006
Reply to OA dated May 2, 2006

AMENDMENTS TO THE CLAIMS:

Please cancel claim 2 without prejudice or disclaimer, and amend claims 1, 3-5, and 10, as follows. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently amended): A printed matter having a receiving layer for an ink jet recording ink for printing variable information formed on the entire or a part of the surface of a printing paper, said surface of the printing paper having a printing ink film containing fixed information, the printing ink film being printed by using a printing method selected from lithographic printing, relief printing and intaglio printing, wherein the receiving layer receives the ink jet recording ink and variable information is formed on the receiving layer by an ink jet recording method,

wherein the receiving layer for an ink jet recording ink comprises at least two layers containing different ingredients respectively, at least one layer of them being a receiving layer comprising an ink-absorbing resin as its main ingredient and at least the other layer of them being a receiving layer comprising an ink-fixing resin as its main ingredient.

Claim 2 (Canceled):

Claim 3 (Currently amended): The printed matter according to Claim [[2]] 1, wherein the receiving layer comprising an ink-absorbing resin as its main ingredient is a receiving layer for an ink jet recording ink containing at least one ink-absorbing resin selected from the group consisting of proteins, starches, celluloses, polyvinyl alcohols, polyvinyl acetals and polyvinylpyrrolidones.

Claim 4 (Currently amended): The printed matter according to Claim [[2]] 1, wherein the receiving layer comprising an ink-absorbing resin as its main ingredient further contains a filler.

Claim 5 (Currently amended): The printed matter according to Claim [[2]] 1, wherein the receiving layer comprising an ink-fixing resin as its main ingredient is a receiving layer for an ink jet recording ink containing at least one ink-fixing resin selected from the group consisting of resins having a cationic group in their molecules.

Claim 6 (Previously Presented): The printed matter according to Claim 1, wherein the receiving layer is formed at least on the printing ink film containing the fixed information.

Claim 7 (Previously Presented): The printed matter according to Claim 6, wherein the fixed information is printed with an oil-based ink by using the lithographic printing method or the relief printing method, and the receiving layer for an ink jet recording ink is formed at least on the printing ink film of the oil-based ink, the receiving layer comprising a layer adjoining the printing ink film

of the oil-based ink and containing different ingredients, wherein the layer adjoining the printing ink film of the oil-based ink contains a film-forming acrylic resin obtained by emulsion polymerizing monomers containing 15% by weight or more of a (meth)acrylic ester compound containing an alkyl group having 8 to 18 carbon atoms.

Claim 8 (Previously Presented): The printed matter according to Claim 6, wherein the fixed information is printed with an oil-based ink by using the lithographic printing method or the relief printing method, and the receiving layer for an ink jet recording ink is formed at least on the printing ink film of the oil-based ink, the receiving layer comprising a layer adjoining the printing ink film of the oil-based ink and containing different ingredients, wherein the layer adjoining the printing ink film of the oil-based ink is formed from a coating agent further containing 1 to 8% by weight of at least one film forming-improving agent selected from the group consisting of the compounds represented by the following general formulas (1) to (3):



wherein X^1 denotes an alkylene group having 2 to 4 carbon atoms, Y^1 and Z^1 each denote an alkyl group having 1 to 4 carbon atoms, n denotes an integer of 1 to 4; X^2 denotes an alkylene group having 2 to 8 carbon atoms, Y^2 denotes H or an alkyl group having 1 to 11 carbon atoms, Z^2 denotes an alkyl group having 4 to 11 carbon atoms or an acyl group having 4 to 11 carbon atoms with the

U.S. Patent Application Serial No. 10/030,099
Amendment filed July 27, 2006
Reply to OA dated May 2, 2006

proviso that Y^2 is H, Z^2 denotes an acyl group having 4 to 11 carbon atoms with the proviso that Y^2 is an alkyl group having 1 to 3 carbon atoms, Z^2 denotes an acyl group having 2 to 11 carbon atoms with the proviso that Y^2 is an alkyl group having 4 to 11 carbon atoms; X^3 denotes a residual group of an aliphatic dibasic acid or an aromatic dibasic acid; and Y^3 and Z^3 each denotes an alkyl group having 1 to 11 carbon atoms.

Claim 9 (Previously Presented): A printed matter, characterized in that variable information is printed by an ink jet recording method on the receiving layer recited in Claim 1.

Claim 10 (Currently amended): A method for producing the printed matter according to Claim [[2]] 1, characterized by printing fixed information and then forming the receiving layer for an ink jet recording ink with a coater or a printer by an in-line system.

Claim 11 (Previously Presented): A method for producing the printed matter according to Claim 7, characterized by forming the receiving layer for an ink jet recording ink with a coater or a printer by an in-line system on a printed surface still in a wet condition immediately after printing the fixed information with an oil-based ink.

Claim 12 (Previously Presented): The method for producing a printed matter according to

U.S. Patent Application Serial No. **10/030,099**
Amendment filed July 27, 2006
Reply to OA dated May 2, 2006

Claim 10, wherein the receiving layer for an ink jet recording ink is formed with a coater equipped with an anilox roll and a rubber roll.